

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("20020152311" "20030026273" "6018690" "6288716" "6434627" "6523696").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 09:30
S1	2789	agent near4 module	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 09:09
S2	24190	identif\$5 near4 agent	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:27
S3	683	S1 and S2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 10:43
S4	296	S3 and establish\$4 near5 (communication or connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 09:45
S5	155	S4 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 15:24
S6	85	S1 same establish\$4 near5 (communication or connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 13:06
S7	46	S6 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 13:13
S8	206	agent near4 module near8 connect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 13:13
S9	54	S8 and S2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 13:13
S10	34	S9 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 09:33
S11	20	agent near5 module near6 request\$3 near5 signal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:15
S12	648	proxy near8 request\$4 near5 connect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 14:51
S13	214	S12 and identif\$8 near7 proxy	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 13:36
S14	143	S13 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 14:55

S15	233391	(proxy or (agent near3 module) or intermedia\$) near6 between	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 15:22
S16	8023	S15 and identif\$7 near5 information	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 15:08
S17	228	S16 and verif\$6 near6 (agent or proxy or intermedia\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 14:55
S18	149	S17 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:43
S19	21	S15 and (proxy or agent or intermediate) near6 transmit\$6 near6 enabl\$3 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:17
S20	1657	transmi\$6 near6 identif\$8 near6 (signal or message) near5 (client or terminal)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 15:21
S21	745	S20 and (enabl\$3 or allow\$3 or permit\$3) near8 (communication or connection or transmission)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 15:22
S22	35	S15 and S21	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 15:22
S23	3	agent near5 module near6 request\$3 near5 signal near6 server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:15
S24	16	S15 and (proxy or agent or intermediate) near6 transmi\$7 near6 (communication or connection) near4 request\$4 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:42
S25	2652	Home near4 network and agent	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:42
S26	180	S25 and agent near9 establish\$3 near6 (communication or connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/17 16:42
S27	107	S26 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 09:13
S28	7	("5634062" "5706502" "5737592" "5742762" "5751956" "5778178" "6061721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 09:44
S29	2789	agent near4 module	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 09:45

S30	85	S29 same establish\$4 near5 (communication or connection)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:27
S31	46	S30 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:27
S32	726	proxy same establish\$4 near5 (communication or connection) near7 server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:27
S33	439	S32 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:27
S35	1325	identif\$8 near4 proxy	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:28
S36	130	S33 and S35	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/18 10:28
S37	11	("5452294" "5740370" "5740430" "5812769" "5835718" "5991810" "6041324" "6049821" "6085242" "6134680" "6138162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 10:53
S38	9	proxy near7 terminal near7 (acknowledg\$3 or ACK\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 10:57
S39	27	proxy near6 transmi\$6 near7 (acknowledg\$3 or ACK\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 15:23
S40	52	proxy near6 send\$3 near7 (acknowledg\$3 or ACK\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 11:47
S41	3	proxy near6 verif\$6 near5 terminal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 11:48
S42	14	proxy near6 determin\$6 near5 terminal same (connection or communication)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:10
S43	19	(client or terminal) near6 verif\$6 near6 (connection or communication) near6 (agent or proxy)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 14:42
S44	548	(agent or proxy) near6 (transmi\$6 or send\$3) same (acknowledg\$3 or ACK\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 15:23
S45	314	S44 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/19 15:24

S46	1085	709/202.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 09:33
S47	379	S46 and (determin\$3 or verif\$5 or check\$3) near6 (proxy or agent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 09:56
S48	298	S47 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 09:56
S49	32	S46 and (determin\$3 or verif\$5 or check\$3) near6 (proxy or agent) near5 connect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:03
S50	28	S49 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:25
S51	24	(determin\$3 or verif\$5 or check\$3) near8 plurality near3 (proxy or agent) near5 connect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:04
S53	48293	available near6 (agent or proxy)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:24
S54	6722	transmitter near10 receiver near6 determin\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:25
S55	243	transmitter near10 receiver near6 determin\$3 near6 connect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:25
S56	191	S55 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:28
S57	454	(proxy or agent) near3 address near6 (check\$3 or determin\$3 or verif\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 10:28
S58	272	S57 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:12
S59	54	S58 and destination near3 IP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:33
S60	40	(paul near3 kang).xp.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:44
S61	59	(romero).xa.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:35
S62	59	(romero).xa.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:35

S63	153715	remote\$3 near4 control\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:35
S64	17	S63 and (S60 or S61 or S62)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:26
S65	57	(paul near3 kang).xa.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 11:44
S66	1306	(ISP or server) near5 (send\$3 or transmi\$6) near6 (authentication or login or password) near7 (client or terminal)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:27
S67	609	S66 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:22
S68	248	S67 and (client or terminal) near6 receiv\$3 near6 (authentication or password or login)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:14
S69	163437	remote\$2 near6 (acess\$3 or control\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:22
S70	249	S69 and (client or terminal) near6 receiv\$3 near6 (authentication or password or login)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:32
S71	143	S70 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:27
S72	121	(proxy or agent) near5 (send\$3 or transmi\$6) near6 (login or password)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:27
S73	75	S72 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:32
S74	55	S69 and (client or terminal or device) near4 remote near6 receiv\$3 near6 (authentication or password or login)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:32
S75	27	S74 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:29
S76	11	pivowar.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 13:41
S77	7	("5991807" "6182142" "6219706" "6233576" "6233618" "6292798" "6292904").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/20 14:03

S78	3218	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:26
S79	3028	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:26
S80	1251	(S79 or S78) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:28
S81	557	S80 and server near6 authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:29
S82	330	S79 and server near6 authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:28
S83	272	S81 and (proxy or agent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 14:29
S84	210	S83 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:22
S85	1106	Home near4 network and "1394"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:23
S86	379	S85 and (login or password or authentic\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:15
S87	25	S86 and schedul\$3 same remote\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:16
S88	237	S86 and remote\$3 near4 control\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:21
S89	1	S85 and lin.xa.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:18
S90	48	S88 and home near3 gateway	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:21
S91	115	S88 and (@AD < "20010208" or @PRAD < "20010208" or @RLAD < "20010208")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:22
S92	6	Home near4 network and HAV	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/20 16:23